



The Classes P and NP

Sipser: Section 7.2 pages 284–292; Section 7.3 pages 292–298


U - 1



Polynomial Time



U - 2




Tractable Problems

Size n


Time complexity function	10	20	30	40	50	60
n	.00001 second	.00002 second	.00003 second	.00004 second	.00005 second	.00006 second
n^2	.0001 second	.0004 second	.0009 second	.0016 second	.0025 second	.0036 second
n^3	.001 second	.008 second	.027 second	.064 second	.125 second	.216 second
n^5	.1 second	3.2 seconds	24.3 seconds	1.7 minutes	5.2 minutes	13.0 minutes
2^n	.001 second	1.0 second	17.9 minutes	12.7 days	35.7 years	366 centuries
3^n	0.59 second	58 minutes	6.5 years	3855 centuries	2×10^8 centuries	1.3×10^{13} centuries

U - 3




Polynomially Equivalent Models

Input Tape




U - 4




Graph Theory

Definition. $PATH = \{ \langle G, s, t \rangle \mid \exists \text{ a directed path from } s \text{ to } t \text{ in } G \}$



U-5




$PATH \in P$

$M =$ "On input $\langle G, s, t \rangle$:


1. Place a mark on node s .
2. Repeat until no additional nodes are marked.
3. Scan all edges of G . If (a, b) found from marked node to unmarked node, mark b .
4. If t is marked, *accept*. Otherwise, *reject*."

U-6




Hamiltonian Paths

Definition. $HAMPATH = \{ \langle G, s, t \rangle \mid \exists \text{ a Hamiltonian path from } s \text{ to } t \}$



U-7




Checking for Hamiltonian Paths

$E =$ "On input $\langle G, s, t \rangle$:

1. Generate all orderings, p_1, p_2, \dots, p_n , of the nodes in G .
2. Check whether $s = p_1$ and $t = p_n$.
3. For each $i = 1$ to $n-1$, check whether (p_i, p_{i+1}) is an edge in G . If any are not, *reject*. Otherwise, *accept*.

U-8




Guessing a Solution

$N =$ "On input $\langle G, s, t \rangle$:


1. Guess an ordering, p_1, p_2, \dots, p_n , of the nodes in G .
2. Check whether $s = p_1$ and $t = p_n$.
3. For each $i = 1$ to $n-1$, check whether (p_i, p_{i+1}) is an edge in G . If any are not, *reject*. Otherwise, *accept*.

U - 9




Nondeterministic Time Complexity

Definition. Let N be a NTM. The *running time* of N is a function $f: \mathbb{N} \rightarrow \mathbb{N}$, where $f(n)$ is the maximum number of steps that N uses on any branch of its computation on any input of length n .



U - 10




The Class NP

Definition. $\text{NTIME}(t(n)) = \{ L \mid L \text{ is decided in } O(t(n)) \text{ time by an NTM.} \}$

Corollary. $\text{NP} = \bigcup_k \text{NTIME}(n^k)$

U - 11



Certificates

NP is the class of languages that have polynomial time verifiers.


What is a certificate for *PATH*?

What is a certificate for *HAMPATH*?


What is a certificate for *COMPOSITE*?

What is a certificate for *HAMPATH*?


U - 12



The Classes P and NP




U - 13




P = NP?

$P \subseteq NP \subseteq PSPACE = NPSpace \subseteq EXPTIME$



Proper containment

U - 14



Exercises

Let $CONNECTED = \{ \langle G \rangle \mid G \text{ is a connected undirected graph} \}$.
Is $CONNECTED$ in NP? Is $CONNECTED$ in P?

A **triangle** in an undirected graph is a 3-clique.
Let $TRIANGLE = \{ \langle G \rangle \mid G \text{ contains a triangle} \}$.
Is $TRIANGLE$ in NP? Is $TRIANGLE$ in P?

Call the graphs G and H **isomorphic** if the nodes of G may be reordered so that it is identical to H .
Let $ISO = \{ \langle G, H \rangle \mid G \text{ and } H \text{ are isomorphic graphs} \}$.
Is ISO in NP? Is ISO in P?

U - 15