## Computer Science 240 Basic Logic


Assignment for Lab 2

Due: at beginning of Lab, submit hardcopy with solutions

1. Write a Boolean function for F given the following truth table, using a sum-of-products form, and **do not simplify** your expression.

ABC	F
000	1
0 0 1	0
0 1 0	1
0 1 1	1
100	0
101	1
1 1 0	1
111	0

2. Write a boolean function for F produced by the following transistor circuit (HINT: you should try to identify subcircuits which look like circuits you saw in lecture and lab for basic gates, working your way from left to right):



2. Draw a circuit which implements the following function G, using the logic gate symbols for AND, OR, and NOT.

**Do not simplify** G before drawing the circuit.

You may use 1, 2, or 3-input gates of type AND, OR, and NOT.

$$G = A(BC + B' + C') + B(AB + A'B)$$

3. Give the truth table for G. In the truth table, include the outputs of each of the gates in your circuit:

 $\begin{array}{ccc} \underline{A} \ \underline{B} \ \underline{C} \\ 0 \ 0 \ 0 \end{array}$ 

- 0 0 1
- 0 1 0
- $0 \ 1 \ 1$
- 1 0 0
- 1 0 1
- 1 1 0
- 1 1 1
- 4. Use the identities of Boolean algebra to show that G is equivalent to F = A + B. Show all your work, and list the identity used for each step.

$$G = A(BC + B' + C') + B(AB + A'B)$$

$$F = A + B$$