


## Agents, Environments, and Search

1. Define the term *agent* and give an example of an agent.
2. What properties make environments challenging to model in the kinds of search problems that we've been discussing?
3. What do the terms *optimal* and *rational* mean in relation to agents?

## Solving Problems by Searching

1. Define in your own words the following terms: *state*, *state space*, *search tree*, *search node*, *goal state*, and *action*.
2. You have three pitchers, measuring 12 gallons, 8 gallons, and 3 gallons, and a water faucet. You can fill the pitchers completely, pour them completely from one to another, or empty them. You need to measure exactly 1 gallon into the 3-gallon pitcher.
  - List the possible actions for this problem.
  - Describe how you would represent states for this problem.
  - Draw a portion of the state space that shows what series of actions and states would lead to this result.
3. Using the basic state space search algorithm, we can do breadth-first search, depth-first search, uniform cost search, or A\* search. What changes do you make to the algorithm in each case?
4. How do depth-limited search and iterative deepening search work?
5. We compare search methods based on completeness, optimality, time complexity, and space complexity.
  - Define what it means for a search algorithm to be *complete*.
  - Define what it means for a search algorithm to be *optimal*
  - What are the advantages and disadvantages of breadth-first search?
  - What are the advantages and disadvantages of depth-first search?
6. Consider the graph given below. List the nodes, in order, that will be visited by the search algorithms as they try to find the goal node, labeled **Z**, beginning from the root node, labeled **a**.
  - Depth-first search (assume children are added in right to left order).
  - Depth-bounded search, with bound 3
  - Breadth-first search (assume children are added in left to right order)



### Informed Search


1. What is informed search? Define the term *heuristic* and describe how heuristics are used in informed search.
2. In A\* search we calculate  $f(n)$ , which is the estimated cost of the cheapest solution through node  $n$ , and is given by the equation:

$$f(n) = g(n) + h(n)$$

What are  $g(n)$  and  $h(n)$ ?

### Adversarial Search

1. Consider the game tic-tac-toe. Assume that the current state of the game is as shown below, and it is X's turn.




From this node, draw the game tree showing all of X's possible immediate next moves.

2. Consider the following evaluation function for tic-tac-toe:  $((3 * X2) + X1) - ((3 * O2) + O1)$

where "Xn" is the number of rows, columns, or diagonals with exactly n X's and no O's, and "On" is the number of rows, columns, or diagonals with exactly n O's and no X's.

Score of all of the leaves on the tree you created above.

- Using the minimax algorithm with a depth bound of 1, which move would be selected?
- Consider the following game tree, where P1 represents player1 and P2 represents player2. Using alpha-beta pruning, show the values of alpha and beta at each non-leaf node. Remember that MAX layers update alpha and MIN layers update beta.



### Markov Decision Processes

- Why is it important to discount future rewards in search problems that involve uncertainty?
- Given the Markov Decision Process below, calculate the rewards associated with the policy [Right, Right, Up, Up, Right]

Transition function:

$$T(\text{Up}, \text{Up}) = 0.7$$

$$T(\text{Up}, \text{Right}) = 0.2$$

$$T(\text{Up}, \text{Left}) = 0.1$$


$$T(\text{Up}, \text{Down}) = 0$$

$$T(\text{Right}, \text{Right}) = 0.7$$

$$T(\text{Right}, \text{Down}) = 0.2$$

$$T(\text{Right}, \text{Up}) = 0.1$$

$$T(\text{Right}, \text{Left}) = 0$$



## Reinforcement Learning

1. Consider a pair of slot machines whose rewards are only partially known: after playing each machine 3 times, you have observed better rewards for Slot A. How would the relative weighting of exploration and exploitation in a reinforcement learning agent affect how much each machine is played?