



Representing Data Structures

Multidimensional arrays
C structs

C: Array layout and indexing




Write x86 code to load `val[i]` into `%eax`.

- Assume:
 - Base address of `val` is in `%rdi`
 - `i` is in `%rsi`

- Assume:
 - Base address of `val` is 28 (`%rsp`)
 - `i` is in `%rcx`

C: Arrays of pointers to arrays of ... reminder

```
int** zips = (int**)malloc(sizeof(int*)*3);
...
zips[0] = (int*)malloc(sizeof(int)*5);
...
int* zip0 = zips[0];
zip0[0] = 0;
zips[0][1] = 2;
zips[0][2] = 4;
zips[0][3] = 8;
zips[0][4] = 1;
```




```
int[][] zips = new int[3][];
zips[0] = new int[5] {0, 2, 4, 8, 1};
```

Java


C: Translate to x86




```
void copleft(int** zips, long i, long j) {
    zips[i][j] = zips[i][j - 1];
}
```



C: Row-major nested arrays



```
int a[R][C];
```



Suppose a's base address is A.

$\&a[i][j]$ is $A + C \times \text{sizeof}(\text{int}) \times i + \text{sizeof}(\text{int}) \times j$
(regular unscaled arithmetic)


```
int* b = (int*)a; // Treat as larger 1D array
```

```
&a[i][j] == &b[ C*i + j ]
```

C: Strange array indexing examples



```
int sea[4][5];
```



Reference Address Value

```
sea[3][3]      76+20*3+4*3 = 148      1
sea[2][5]
sea[2][-1]
sea[4][-1]
sea[0][19]
sea[0][-1]
```


C does not do any bounds checking.
Row-major array layout is guaranteed.

```
struct rec {
    int i;
    int a[3];
    int* p;
};

struct rec x;
struct rec y;
x.i = 1;
x.a[1] = 2;
x.p = &(x.i);

// copy full struct
y = x;


struct rec* z;
z = &y;
(*z).i++;
// same as:
z->i++
```



C structs


Like Java class/object without methods.

- Compiler determines:
 - Total size
 - Offset of each field



C: Accessing struct field

```
struct rec {
    int i;
    int a[3];
    int* p;
};
```




```
int get_i_plus_elem(struct rec* r, int index) {
    return r->i + r->a[index];
}
```

```
movl 0(%rdi),%eax      # Mem[r+0]
addl 4(%rdi,%rsi,4),%eax      # Mem[r+4*index+4]
retq
```

C: Struct field alignment

Unaligned Data



```
struct S1 {
    char c;
    double v;
    int i;
} * p;
```


Defines new struct type and declares variable p of type struct S1*

Aligned Data

Primitive data type requires K bytes

Address must be multiple of K

C: align every struct field accordingly.




C: Struct packing

Put large data types first:

```
struct S1 {
    char c;
    double v;
    int i;
} * p;
```



```
struct S2 {
    double v;
    int i;
    char c;
} * q;
```




C: Struct alignment (full)


Base and total size must align largest internal primitive type.

Fields must align their type's largest alignment requirement.

```
struct S1 {
    char c;
    double v;
    int i;
} * p;
```




external fragmentation



```
struct S2 {
    double v;
    int i;
    char c;
} * q;
```


Array in struct

```
struct rec {
    int i;
    int a[3];
    int* p;
};
```



Struct in array

```
struct S2 {
    double v;
    int i;
    char c;
} a[10];
```



C: typedef


```
// give type T another name: U
typedef T U;

// struct types can be verbose
struct Node { ... };
...
struct Node* n = ...;

// typedef can help
typedef struct Node {
    ...
} Node;
...
Node* n = ...;
```

Linked Lists

```
typedef
struct Node {
    struct Node* next;
    int value;
} Node;
```




Implement append in x86:

```
void append(Node* head, int x) {
    // assume head != NULL
    Node* cursor = head;
    // find tail
    while (cursor->next != NULL) {
        cursor = cursor->next;
    }
    Node* n = (Node*)malloc(sizeof(Node));
    // error checking omitted
    // for x86 simplicity
    cursor->next = n;
    n->next = NULL;
    n->value = x;
}
```

Try a recursive version too.

Linked Lists

```
typedef
struct Node {
    struct Node* next;
    int value;
} Node;
```



Implement append in x86:

```
void append(Node* head, int x) {
    // assume head != NULL
    Node* cursor = head;
    // find tail
    while (cursor->next != NULL) {
        cursor = cursor->next;
    }
    Node* n = (Node*)malloc(sizeof(Node));
    // error checking omitted
    // for x86 simplicity
    cursor->next = n;
    n->next = NULL;
    n->value = x;
}
```

Try a recursive version too.

```
append:
    pushq %rbp
    movl %esi, %ebp
    pushq %rbx
    movq %rdi, %rbx
    subq $8, %rsp
    jmp .L3
.L6:
    movq %rax, %rbx
.L3:
    movq (%rbx), %rax
    testq %rax, %rax
    jne .L6
    movl $16, %edi
    call malloc
    movq %rax, (%rbx)
    movq $0, (%rax)
    movl %ebp, 8(%rax)
    addq $8, %rsp
    popq %rbx
    popq %rbp
    ret
```