



CS 240

Foundations of Computer Systems



Representing Data Structures

Multidimensional arrays

C structs

C: Array layout and indexing



Write x86 code to load `val[i]` into `%eax`.

1. Assume:

- Base address of `val` is in `%rdi`
- `i` is in `%rsi`


2. Assume:

- Base address of `val` is `28(%rsp)`
- `i` is in `%rcx`

reminder

C: Arrays of pointers to arrays of ...

```
int** zips = (int**)malloc(sizeof(int*)*3);  
...  
zips[0] = (int*)malloc(sizeof(int)*5);  
...  
int* zip0 = zips[0];  
zip0[0] = 0;  
zips[0][1] = 2;  
zips[0][2] = 4;  
zips[0][3] = 8;  
zips[0][4] = 1;
```



```
int[][] zips = new int[3][];  
zips[0] = new int[5] {0, 2, 4, 8, 1};
```


Java

ex

C: Translate to x86

```
void copyleft(int** zipCodes, long i, long j) {  
    zipCodes[i][j] = zipCodes[i][j - 1];  
}
```


copyleft(zips, 1, 3)



C: Row-major nested arrays

```
int a[R][C];
```

$$\begin{bmatrix} a[0][0] & \cdots & a[0][C-1] \\ \vdots & & \vdots \\ \vdots & & \vdots \\ a[R-1][0] & \cdots & a[R-1][C-1] \end{bmatrix}$$



Suppose a's base address is A.


$\&a[i][j]$ is $A + C \times \text{sizeof}(int) \times i + \text{sizeof}(int) \times j$
(regular unscaled arithmetic)

```
int* b = (int*)a; // Treat as larger 1D array
```

```
&a[i][j] == &b[C*i + j]
```

C: Strange array indexing examples

```
int sea[4][5];
```



Reference	Address	Value
-----------	---------	-------

sea[3][3]	$76 + 20 * 3 + 4 * 3 = 148$	1
-----------	-----------------------------	---

C does not do any bounds checking.

Row-major array layout is guaranteed.


C structs

```
struct rec {  
    int i;  
    int a[3];  
    int* p;  
};
```

```
struct rec x;  
struct rec y;  
x.i = 1;  
x.a[1] = 2;  
x.p = &(x.i);  
  
// copy full struct  
y = x;
```

```
struct rec* z;  
z = &y;  
(*z).i++;  
// same as:  
z->i++
```


Base address



Like Java class/object without methods.

Compiler determines:

- Total size
- Offset of each field




C structs

```
struct rec {  
    int i;  
    int a[3];  
    int* p;  
};
```

```
struct rec x;  
struct rec y;  
x.i = 1;  
x.a[1] = 2;  
x.p = &(x.i);  
  
// copy full struct  
y = x;
```

```
struct rec* z;  
z = &y;  
(*z).i++;  
// same as:  
z->i++
```




Base address



Like Java class/object without methods.

Compiler determines:

- Total size
- Offset of each field




C structs

```
struct rec {  
    int i;  
    int a[3];  
    int* p;  
};
```

```
struct rec x;  
struct rec y;  
x.i = 1;  
x.a[1] = 2;  
x.p = &(x.i);  
  
// copy full struct  
y = x;
```

```
struct rec* z;  
z = &y;  
(*z).i++;  
// same as:  
z->i++
```


Base address



Like Java class/object without methods.

Compiler determines:

- Total size
- Offset of each field




C structs

```
struct rec {  
    int i;  
    int a[3];  
    int* p;  
};
```

```
struct rec x;  
struct rec y;  
x.i = 1;  
x.a[1] = 2;  
x.p = &(x.i);  
  
// copy full struct  
y = x;
```

```
struct rec* z;  
z = &y;  
(*z).i++;  
// same as:  
z->i++
```


Base address



Like Java class/object without methods.


Compiler determines:

- Total size
- Offset of each field



C: Accessing struct field

```
struct rec {  
    int i;  
    int a[3];  
    int* p;  
};
```




```
int get_i_plus_elem(struct rec* r, int index) {  
    return r->i + r->a[index];  
}
```

```
movl 0(%rdi),%eax      # Mem[r+0]  
addl 4(%rdi,%rsi,4),%eax  # Mem[r+4*index+4]  
retq
```

C: Struct field alignment

Unaligned Data




```
struct S1 {  
    char c;  
    double v;  
    int i;  
}* p;
```

Aligned Data

Primitive data type requires K bytes

Address must be multiple of K

C: align every struct field accordingly.



Defines new struct type
and declares variable p
of type struct S1*


C: Struct packing

Put large data types first:

```
struct S1 {  
    char c;  
    double v;  
    int i;  
} * p;
```

programmer

```
struct S2 {  
    double v;  
    int i;  
    char c;  
} * q;
```




but actually...

C: Struct alignment (full)

Base and total size must align largest internal primitive type.

Fields must align their type's largest alignment requirement.

```
struct S1 {  
    char c;  
    double v;  
    int i;  
} * p;
```



```
struct S2 {  
    double v;  
    int i;  
    char c;  
} * q;
```


Array in struct

```
struct rec {  
    int i;  
    int a[3];  
    int* p;  
};
```



Struct in array

```
struct S2 {  
    double v;  
    int i;  
    char c;  
} a[10];
```



C: `typedef`

```
// give type T another name: U
typedef T U;
```

```
// struct types can be verbose
struct Node { ... };

...
struct Node* n = ...;
```

```
// typedef can help
typedef struct Node {


    ...
} Node;

...
Node* n = ...;
```

Linked Lists

ex

```
typedef  
struct Node {  
    struct Node* next;  
    int value;  
} Node;
```




Implement append in x86:

```
void append(Node* head, int x) {  
    // assume head != NULL  
    Node* cursor = head;  
    // find tail  
    while (cursor->next != NULL) {  
        cursor = cursor->next;  
    }  
    Node* n = (Node*)malloc(sizeof(Node));  
    // error checking omitted  
    // for x86 simplicity  
    cursor->next = n;  
    n->next = NULL;  
    n->value = x;  
}
```

Try a recursive version too.

Linked Lists

```
typedef
struct Node {
    struct Node* next;
    int value;
} Node;
```



Implement append in x86:

```
void append(Node* head, int x) {
    // assume head != NULL
    Node* cursor = head;
    // find tail
    while (cursor->next != NULL) {
        cursor = cursor->next;
    }
    Node* n = (Node*)malloc(sizeof(Node));
    // error checking omitted
    // for x86 simplicity
    cursor->next = n;
    n->next = NULL;
    n->value = x;
}
```

Try a recursive version too.

append:

```
pushq %rbp
movl %esi, %ebp
pushq %rbx
movq %rdi, %rbx
subq $8, %rsp
jmp .L3
.L6:
    movq %rax, %rbx
.L3:
    movq (%rbx), %rax
    testq %rax, %rax
    jne .L6
    movl $16, %edi
    call malloc
    movq %rax, (%rbx)
    movq $0, (%rax)
    movl %ebp, 8(%rax)
    addq $8, %rsp
    popq %rbx
    popq %rbp
    ret
```