




Dynamic Memory Allocation in the Heap

Explicit allocators
Manual memory management
C: implementing malloc and free



Outline


- Motivation/alternatives
- Design goals for a memory allocator
 - Utilization/fragmentation
- Implicit free list allocator
 - Tracking sizes
 - Allocating blocks
 - Coalescing blocks
- Explicit free lists
 - List vs. memory order
 - Freeing/coalescing



Heap Allocation



Addr	Perm	Contents	Managed by	Initialized
2 ^N -1	RW	Procedure context	Compiler	Run-time
	RW	Dynamic data structures	Programmer, malloc/free, new/GC	Run-time
	RW	Global variables/ static data structures	Compiler/ Assembler/Linker	Startup
	R	String literals	Compiler/ Assembler/Linker	Startup
	X	Instructions	Compiler/ Assembler/Linker	Startup
0				

Motivation: why not just allocate in memory order?



```

void process_incoming_data(int data[]) {
    // Build complicated data structures
    // ...
    print("%d", result);
    // Don't need data or backing work!
}
    
```



5

Motivation: what data do we need to track?

ex

What data structures could we use to track this?

6

Actual dynamic memory allocator design




Design the allocator to store data
“inline” within the heap memory itself

- Space efficient: no need for much data “on the side”
- Use pointer arithmetic to calculate results
- Good use of caches/locality (we’ll cover more later)

7

Allocator basics

Pages (OS-provided) too coarse-grained for allocating individual objects.
Instead: flexible-sized, word-aligned blocks.



```


pointer to newly allocated block
of at least that size
void* malloc(size_t size);

number of contiguous bytes required
void free(void* ptr);

pointer to allocated block to free
    
```

8

Example (64-bit words)



9

Allocator goals: malloc/free

1. Programmer does not decide locations of distinct objects.

Programmer decides: what size, when needed, when no longer needed

```
p = malloc(32);  
// ...  
free(p)
```

2. Fast allocation.


mallocs/second or bytes malloc'd/second



3. High memory utilization.

Most of heap contains necessary program data.

Little wasted space.




Enemy: **fragmentation** – unused memory that cannot be allocated.

10

Internal fragmentation

Payload smaller than block




Causes

- Metadata (bookkeeping)
- Alignment (8, 16, ...)
- Policy decisions

11

External fragmentation (64-bit words)

Total free space large enough, but no contiguous free block large enough!



Depends on the pattern of future requests.

12


Implementation issues

1. Determine **how much** to free given just a pointer.
2. Keep track of **free blocks**.
3. **Pick** a block to allocate.
4. Choose what do with **extra space** when allocating a structure that is smaller than the free block used.
5. Make a **freed block available** for future reuse.

13

Knowing how much to free


Keep length of block in *header* word preceding block



14

Keeping track of free blocks

Method 1: **Implicit free list** of all blocks using length



Method 2: **Explicit free list** of free blocks using pointers



Method 3: **Seglist**

Different free lists for different size blocks

More methods that we will skip...


15

Implicit free list: block format

Block metadata:

1. Block size
2. Allocation status

Store in one header word.




Steal LSB for status flag.
LSB = 1: allocated
LSB = 0: free

16-byte aligned sizes have
4 zeroes in low-order bits

00000000
00010000
00100000
00110000
...

16

Implicit free list: heap layout



17

Implicit free list: finding a free block

First fit:

Search list from beginning, choose **first** free block that fits

Next fit:


Do first-fit starting where previous search finished

Best fit:

Search the list, choose the **best** free block: fits, with fewest bytes left over

18


Implicit free list: allocating a free block



Now showing allocation status flag implicitly with shading.


19

Implicit free list: freeing an allocated block




20


Coalescing free blocks




Bidirectional coalescing: boundary tags



Constant-time O(1) coalescing: 4 cases




Improved block format for implicit free lists



Update headers of 2 blocks on each malloc/free.

Minimum block size for implicit free list?


What is the minimum block size for an implicit free block (in bytes)?



- 8
- 16
- 24
- 32
- None of the above

Start the presentation to see live content. For screen share software, share the entire screen. Get help at pollev.com/app


What is the minimum block size for an implicit free block (in bytes)?



- 8 0%
- 16 0%
- 24 0%
- 32 0%
- None of the above 0%

Start the presentation to see live content. For screen share software, share the entire screen. Get help at pollev.com/app

What is the minimum block size for an implicit free block (in bytes)?



- 8 0%
- 16 0%
- 24 0%
- 32 0%
- None of the above 0%

Start the presentation to see live content. For screen share software, share the entire screen. Get help at pollev.com/app

Summary: implicit free lists

Implementation: simple

O(...) for allocate and free?

Allocate: $O(\text{blocks in heap})$

Free: $O(1)$

Memory utilization: depends on placement policy

Not widely used in practice


some special purpose applications

Splitting, boundary tags, coalescing are **general** to *all* allocators.

Explicit free list: block format

Explicit list of *free* blocks rather than implicit list of *all* blocks.


Allocated block:



Possible to omit footer

(same as implicit free list)


Free block:




29

Explicit free list: list vs. memory order

Abstractly: doubly-linked lists



Concretely: free list blocks in any memory order




List Order \neq Memory Order


30

Explicit free list: allocating a free block

Before



After



31

Explicit free list: freeing a block

Insertion policy: Where in the free list do you add a freed block?

LIFO (last-in-first-out) policy

Pro: simple and constant time

Con: studies suggest fragmentation is worse than address ordered

Address-ordered policy

Con: linear-time search to insert freed blocks

Pro: studies suggest fragmentation is lower than LIFO


LIFO Example: 4 cases of freed block neighbor status.

32

Freeing with LIFO policy:
between allocated blocks

ex

Insert the freed block at head of free list.




33

Freeing with LIFO policy:
between free and allocated

ex

Splice out predecessor block, coalesce both memory blocks, and insert the new block at the head of the free list.




Could be on either or both sides... 34

Freeing with LIFO policy:
between allocated and free

ex


Splice out successor block, coalesce both memory blocks and insert the new block at the head of the free list.



35

Freeing with LIFO policy:
between free blocks

Splice out predecessor and successor blocks, coalesce all 3 memory blocks and insert the new block at the head of the list.



36

Summary: Explicit Free Lists

Implementation: fairly simple

Allocate: $O(\text{free blocks})$ vs. $O(\text{all blocks})$

Free: $O(1)$ vs. $O(1)$

Memory utilization:

depends on placement policy


larger minimum block size (next/prev) vs. implicit list

Used widely in practice, often with more optimizations.

Splitting, boundary tags, coalescing are general to *all* allocators.


Improved block format for explicit free lists

Allocated block: Free block:



Update headers of 2 blocks on each malloc/free.


Minimum block size for explicit free list?



What is the minimum block size for an explicit free block (in bytes)?

Allocated block:

Free block:



8

16


24

32

None of the above

Seglist allocators

Each *size bracket* has its own free list



Faster best-fit allocation...

Summary: allocator policies

All policies offer **trade-offs** in fragmentation and throughput.

Placement policy:

First-fit, next-fit, best-fit, etc.

Seglists approximate best-fit in low time

Splitting policy:

Always? Sometimes? Size bound?

Coalescing policy:

Immediate vs. deferred