

Sum-of-Product Datatypes in SML



CS251 Programming Languages
Fall 2017
Lyn Turbak

Department of Computer Science
Wellesley College

Motivating example: geometric figures

Suppose we want to represent geometric figures like circles, rectangles, and triangles so that we can do things like calculate their perimeters, scale them, etc. (Don't worry about drawing them!)




These are so-called **sum of products** data:

- Circle, Rect, and Tri are tags that distinguish which one in a sum
- The numeric children of each tag are the product associated with that tag.

How would you do this in Java? In Python?

SML's datatype for Sum-of-Product types



```
datatype figure =  
  Circ of real (* radius *)  
| Rect of real * real (* width, height *)  
| Tri of real * real * real (* side1, side2, side3 *)  
  
val figs = [Circ 1.0, Rect (2.0,3.0), Tri(4.0,5.0,6.0)]  
  (* List of sample figures *)  
  
val circs = map Circ [7.0, 8.0, 9.0]  
  (* List of three circles *)
```

Functions on datatype via pattern matching

```
(* Return perimeter of figure *)  
fun perim (Circ r) = 2.0 * Math.pi * r  
  | perim (Rect(w,h)) = 2.0 * (w + h)  
  | perim (Tri(s1,s2,s3)) = s1 + s2 + s3  
  
(* Scale figure by factor n *)  
fun scale n (Circ r) = Circ (n * r)  
  | scale n (Rect(w,h)) = Rect (n*w, n*h)  
  | scale n (Tri(s1,s2,s3)) = Tri (n*s1, n*s2, n*s3)
```

```
- val perims = map perim figs  
val perims = [6.28318530718,10.0,15.0] : real list  
  
- val scaledFigs = map (scale 3.0) figs  
val scaledFigs = [Circ 3.0,Rect (6.0,9.0),  
  Tri (12.0,15.0,18.0)] : figure list
```

Options

SML has a built-in option datatype defined as follows:

```
datatype 'a option = NONE | SOME of 'a
```

```
- NONE  
val it = NONE : 'a option  
  
- SOME 3;  
val it = SOME 3 : int option  
  
- SOME true;  
val it = SOME true : bool option
```

Sum-of-Product Datatypes in SML 5

Sample Use of Options

```
- fun into_100 n = if (n = 0) then NONE else SOME (100 div n);  
val into_100 = fn : int -> int option  
  
- List.map into_100 [5, 3, 0, 10];  
val it = [SOME 20,SOME 33,NONE,SOME 10] : int option list  
  
- fun addOptions (SOME x) (SOME y) = SOME (x + y)  
= | addOptions (SOME x) NONE = NONE  
= | addOptions NONE (SOME y) = NONE  
= | addOptions NONE NONE = NONE;  
val addOptions = fn : int option -> int option -> int option  
  
- addOptions (into_100 5) (into_100 10);  
val it = SOME 30 : int option  
  
- addOptions (into_100 5) (into_100 0);  
val it = NONE : int option
```

Sum-of-Product Datatypes in SML 6

Options and List.find

```
(* List.find : ('a -> bool) -> 'a list -> 'a option *)  
- List.find (fn y => (y mod 2) = 0) [5,8,4,1];  
val it = SOME 8 : int option  
  
- List.find (fn z => z < 0) [5,8,4,1];  
val it = NONE : int option
```

Sum-of-Product Datatypes in SML 7

Thinking about options

What problem do options solve?

How is the problem solved in other languages?

Sum-of-Product Datatypes in SML 8

Creating our own list datatype

```

datatype 'a mylist = Nil | Cons of 'a * 'a mylist

val ints = Cons(1, Cons(2, Cons(3, Nil))) (* : int mylist *)

val strings = Cons("foo", Cons ("bar", Cons ("baz", Nil)))
(* : strings mylist *)

fun myMap f Nil = Nil
  | myMap f (Cons(x,xs)) = Cons(f x, myMap f xs)
(* : ('a -> 'b) -> 'a mylist -> 'b mylist *)




val incNums = myMap (fn x => x + 1) ints
(* val incNums= Cons (2,Cons (3,Cons (4,Nil))) : int mylistval *)

val myStrings = myMap (fn s => "my " ^ s) strings
(* val myStrings = Cons ("my foo", Cons ("my bar", Cons ("my
baz",Nil))): string mylist *)

```


Sum-of-Product Datatypes in SML 9

Binary Trees



Sum-of-Product Datatypes in SML 10

SML bintree datatype for Binary Trees



```

datatype 'a bintree =
  Leaf
  | Node of 'a bintree * 'a * 'a bintree
  (* left subtree, value, right subtree *)

```


```

val int_tree = Node (Node (Leaf, 2, Leaf),
  4,
  Node (Node (Leaf, 1, Node (Leaf, 5, Leaf)),
    6,
    Node (Leaf, 3, Leaf)))

```

Sum-of-Product Datatypes in SML 11

bintree can have any type of element




```

val string_tree = Node (Node (Leaf, "like", Leaf),
  "green",
  Node (Node (Leaf, "and", Leaf),
    "eggs",
    Node (Leaf, "ham", Leaf)))

```

Sum-of-Product Datatypes in SML 12

Counting nodes in a binary tree




```
fun num_nodes Leaf = 0
  | num_nodes (Node(l,v,r)) = 1 + (num_nodes l) + (num_nodes r)
```

```
- num_nodes int_tree;
val it = 6 : int

- num_nodes string_tree;
val it = 5 : int
```

Sum-of-Product Datatypes in SML 13

Your turn: height



```
(* val height = fn : 'a bintree -> int *)
(* Returns the height of a binary tree. *)
(* Note: Int.max returns the max of two ints *)
```


```
fun height Leaf =
  | height (Node(l,v,r)) =
```

```
- height int_tree;
val it = 4 : int

- height string_tree;
val it = 3 : int
```

Sum-of-Product Datatypes in SML 14

Your turn: sum_nodes



```
(* val sum_nodes = fn : int bintree -> int *)
(* Returns the sum of node values in binary tree of ints *)
```


```
fun sum_nodes Leaf =
  | sum_nodes (Node(l,v,r)) =
```

```
- sum_nodes int_tree;
val it = 21 : int
```

Sum-of-Product Datatypes in SML 15

Your turn: inlist

This returns a list of elements as they are encountered in an **in-order** traversal of a tree. We could also list them via a **pre-order** or **post-order** traversal.



```
(* val inlist = fn : 'a bintree -> 'a list *)
(* Returns a list of the node values in in-order *)
```


```
fun inlist Leaf =
  | inlist (Node(l,v,r)) =
```

```
- inlist int_tree;
val it = [2,4,1,5,6,3] : int list

- inlist string_tree;
val it = ["like","green","eggs","and","ham"] : string list
```

Sum-of-Product Datatypes in SML 16

Your turn: map_tree



```
(* val map_tree = fn : ('a -> 'b) -> 'a bintree -> 'b bintree *)
(* maps function over every node in a binary tree *)
```


```
fun map_tree f Leaf =
  | map_tree f (Node(l,v,r)) =
```

```
- map_tree (fn x => x*2) int_tree;
val it = Node (Node (Node (Leaf,4,Leaf),8,
  Node (Node (Leaf,2,Node (Leaf,10,Leaf)),12,
    Node (Leaf,6,Leaf))) : int bintree
```

```
- map_tree (fn s => String.sub(s,0)) string_tree;
val it = Node (Node (Node (Leaf,"l",Leaf),#g",
  Node (Node (Leaf,"e",Leaf),#a",
    Node (Leaf,"h",Leaf))) : char bintree
```

Sum-of-Product Datatypes in SML 17

Your turn: fold_tree



```
(* val fold_tree = fn : ('b * 'a * 'b -> 'b) -> 'b
-> 'a bintree -> 'b *)
(* binary tree accumulation *)
```


```
fun fold_tree comb leafval Leaf =
  | fold_tree comb leafval (Node(l,v,r)) =
```

```
- fold_tree (fn (lsum,v,rsum) => lsum + v + rsum) 0 int_tree;
val it = 21 : int
```

```
- fold_tree (fn (lstr,v,rstr) => lstr ^ v ^ rstr) " " string_tree;
val it = " like green eggs and ham " : string
```

Sum-of-Product Datatypes in SML 18

Binary Search Trees (BSTs) on integers



Sum-of-Product Datatypes in SML 19

You turn: Binary Search Tree insertion

```
fun singleton v = Node(Leaf, v, Leaf)
```

```
(* val insert: int bintree -> int -> int bintree *)
```

```
fun insert x Leaf =
  | insert x (t as (Node(l,v,r))) =
    if x = v then
    else if x < v then
    else
```

```
fun listToTree xs =
```

```
- val test_bst = listToTree [4,2,3,6,1,7,5];
val test_bst = Node (Node (Node (Node (Leaf,1,Leaf),
  2,
    Node (Leaf,3,Leaf)),
  4,
    Node (Node (Leaf,5,Leaf),
  6,
    Node (Leaf,7,Leaf))) : int bintree
```

Sum-of-Product Datatypes in SML 20

Your turn: Binary Search Tree membership

```
(val member: 'a -> 'a bintree -> bool *)  
fun member x Leaf =  
  | member x (Node(l,v,r)) =
```

```
- val test_member = map (fn i => (i, member i  
test_bst)) [0,1,2,3,4,5,6,7,8];  
val it = [(0,false), (1,true), (2,true), (3,true),  
(4,true), (5,true), (6,true), (7,true), (8,false)] :  
(int * bool) list
```

Balanced Trees (PS7)

BSTs are not guaranteed to be balanced.

But there are other tree data structures that do guarantee balance:
AVL trees, Red/Black trees, 2-3 trees, 2-3-4 trees.

In PS6 you will experiment with 2-3 trees.

