

Metaprogramming

These slides borrow heavily from Ben Wood's Fall '15 slides.



CS251 Programming Languages
Fall 2018, Lyn Turbak

Department of Computer Science
Wellesley College

How to implement a programming language

Interpretation

An **interpreter** written in the **implementation language** reads a program written in the **source language** and **evaluates** it.

Translation (a.k.a. compilation)


An **translator** (a.k.a. **compiler**) written in the **implementation language** reads a program written in the **source language** and **translates** it to an equivalent program in the **target language**.

But now we need implementations of:


implementation language

target language


Metaprogramming: Interpretation




Interpreters



Metaprogramming: Translation



Compiler



Interpreters vs Compilers


Interpreters

- No work ahead of time
- Incremental
- maybe inefficient

Compilers


- All work ahead of time
- See whole program (or more of program)
- Time and resources for analysis and optimization

Java Compiler




(compare compiled C to compiled Java)

Compilers... whose output is interpreted




Doesn't this look familiar?

Interpreters... that use compilers.




JIT Compilers and Optimization




- HotSpot JVM
- Jikes RVM
- SpiderMonkey
- v8
- Transmeta
- ...

Virtual Machine Model



Typical Compiler



Metaprogramming 13

How to implement a programming language

Can describe by deriving a “proof” of the implementation using these inference rules:

Interpreter Rule

$$\frac{\text{P-in-L program} \quad \text{L interpreter machine}}{\text{P machine}}$$

Translator Rule

$$\frac{\text{P-in-S program} \quad \text{S-to-T translator machine}}{\text{P-in-T program}}$$

Metaprogramming 14

Implementation Derivation Example

Prove how to implement a "251 web page machine" using:

- 251-web-page-in-HTML program (a web page written in HTML)
- HTML-interpreter-in-C program (a web browser written in C)
- C-to-x86-compiler-in-x86 program (a C compiler written in x86)
- x86 interpreter machine (an x86 computer)

No peaking ahead!

Metaprogramming 15

Implementation Derivation Example Solution

$$\frac{\frac{\text{HTML-interpreter-in-C program} \quad \frac{\text{C-to-x86-compiler-in-x86 program} \quad \text{x86 computer} \text{ (I)}}{\text{C-to-x86 compiler machine}} \text{ (T)}}{\text{HTML-interpreter-in-x86 program}} \quad \text{x86 computer} \text{ (I)}}{\text{HTML interpreter machine}} \text{ (I)}}{\text{251 web page machine}}$$

We can omit some occurrences of “program” and “machine”:

$$\frac{\frac{\text{HTML interpreter in C} \quad \frac{\text{C-to-x86 compiler in x86} \quad \text{x86 computer} \text{ (I)}}{\text{C-to-x86 compiler}} \text{ (T)}}{\text{HTML interpreter in x86}} \quad \text{x86 computer} \text{ (I)}}{\text{HTML interpreter}} \text{ (I)}}{\text{251 web page machine}}$$

Metaprogramming 16

Implementation Derivation Are Trees

And so we can represent them as nested structures, like nested bulleted lists:

- ❑ 251-web-page-in-HTML program
 - HTML-interpreter-in-C program
 - C-to-x86 compiler-in-x86 program
 - X86 computer
 - C-to-x86 compiler machine (I)
 - ◇ HTML-interpreter-in-x86 program (T)
 - ◇ x86 computer
- ❑ HTML interpreter machine (I)
- 251 web page machine (I)

Version that shows conclusions below bullets. More similar to derivations with horizontal lines, but harder to create and read

- 251 web page machine (I)
- ❑ 251-web-page-in-HTML program
- ❑ HTML interpreter machine (I)
 - ◇ HTML-interpreter-in-x86 program (T)
 - HTML-interpreter-in-C program
 - C-to-x86 compiler machine (I)
 - C-to-x86 compiler-in-x86 program
 - X86 computer
 - ◇ x86 computer

Preferred "top-down" version that shows conclusions above bullets.

Derivation Exercise

How to execute the Racket factorial program given these parts?

- factorial-in-Racket program
- Racket-to-Python-translator-in-Python program
- Python-interpreter-in-C program
- C-to-x86-translator-in-x86 program
- x86 computer (i.e., x86 interpreter machine)

Warning: cannot start the following way:

- factorial machine (I)
 - ❑ factorial-in-Racket program
 - ❑ Racket interpreter machine (I)
 -

Why not?

Derivation Exercise: Solution

How to execute the Racket factorial program given these parts?

- factorial-in-Racket program
- Racket-to-Python-translator-in-Python program
- Python-interpreter-in-C program
- C-to-x86-translator-in-x86 program
- x86 computer (i.e., x86 interpreter machine)

Put your solution here:

Metaprogramming: Bootstrapping Puzzles

How can a Racket interpreter be written in Racket?

How can a Java compiler be written in Java?

How can gcc (a C-to-x86 compiler) be written in C?



Metacircularity and Bootstrapping

Many examples:

- Lisp in Lisp / Scheme in Scheme/Racket in Racket
- Python in Python: PyPy
- Java in Java: Jikes RVM, Maxine VM
- ...
- C-to-x86 compiler in C: gcc
- `eval` construct in languages like Lisp, JavaScript

How can this be possible?

Key insights to bootstrapping:

- The first implementation of a language **cannot** be in itself, but must be in some other language.
- Once you have one implementation of a language L, you can implement (enhanced versions of) L in L.

Metaprogramming 21

Metacircularity Example 1: Problem

Suppose you are given:

- Racket-interpreter-in-Python program
- Python machine
- Racket-interpreter-in-Racket program

How do you create a Racket interpreter machine using the Racket-interpreter-in-Racket program?

Metaprogramming 22

Metacircularity Example 1: Solution

Suppose you are given:

- Racket-interpreter-in-Python program
- Python machine
- Racket-interpreter-in-Racket program

How do you create a Racket interpreter machine using the Racket-interpreter-in-Racket program?

Racket **interpreter machine #2** (I)
 Racket-interpreter-in-Racket program
 Racket-interpreter machine #1 (I)
 ✧ Racket-interpreter-in-Python program
 ✧ Python machine

But why create **Racket interpreter machine #2** when you already have **Racket-interpreter machine #1**?

Metaprogramming 23

Metacircularity Example 1: More Realistic

Suppose you are given:

- Racket-**subset**-interpreter-in-Python program (implements only core Racket features; no desugaring or other frills)
- Python machine
- **Full-Racket**-interpreter-in-Racket-**subset** program

How do you create a **Full-Racket** interpreter machine using the **Full-Racket**-interpreter-in-Racket-**subset** program?

Full-Racket interpreter machine (I)
 Full-Racket-interpreter-in-Racket-**subset** program
 Racket-subset interpreter machine #1 (I)
 ✧ Racket-**subset**-interpreter-in-Python program
 ✧ Python machine

Metaprogramming 24

Metacircularity Example 2: Problem

Suppose you are given:

- C-to-x86-translator-in-x86 program (a C compiler written in x86)
- x86 interpreter machine (an x86 computer)
- C-to-x86-translator-in-C program

How do you compile the C-to-x86-translator-in-C ?

Metacircularity Example 2: Solution

Suppose you are given:

- C-to-x86-translator-in-x86 program (a C compiler written in x86)
- x86 interpreter machine (an x86 computer)
- C-to-x86-translator-in-C program

How do you compile the C-to-x86-translator-in-C ?

- C-to-x86-translator machine #2 (I)
 - C-to-x86-translator-in-x86 program #2 (T)
 - ◇ C-to-x86-translator-in-C
 - ◇ C-to-x86-translator machine #1 (I)
 - C-to-x86-translator-in-x86 program #1
 - x86 computer
 - x86 computer

But why create C-to-x86-translator-in-x86 program #2 (T) when you already have C-to-x86-translator-in-x86 program #1?

Metacircularity Example 2: More Realistic

Suppose you are given:

- C-subset-to-x86-translator-in-x86 program (a compiler for a subset of C written in x86)
- x86 interpreter machine (an x86 computer)
- Full-C-to-x86-translator-in-C-subset program (a compiler for the full C language written in a subset of C)

How do you create a Full-C-to-x86-translator machine ?

- Full-C-to-x86-translator machine (I)
 - Full-C-to-x86-translator-in-x86 program (T)
 - ◇ Full-C-to-x86-translator-in-C-subset
 - ◇ C-subset-to-x86-translator machine (I)
 - C-subset-to-x86-translator-in-x86 program
 - x86 computer
 - x86 computer

A long line of C compilers

- C-version_n-to-target_n-translator machine (I)
 - C-version_n-to-target_n-translator program in target_{n-1} (T)
 - ◇ C-version_n-to-target_n-translator program in C-version_{n-1}
 - ◇ C-version_{n-1}-to-target_{n-1} translator machine (I)
 - C-version_{n-1}-to-target_{n-1}-translator program in target_{n-2} (T)
 - ⋮
 - C-version₂-to-target₂-translator-program in target₁ (T)
 - C-version₂-to-target₂-translator program in C-version₁
 - C-version₁-to-target₁ translator machine (I)
 - C-version₁-to-target₁-translator program in assembly₀
 - assembly₀ computer
 - target₁ computer
 - target_{n-2} computer
 - target_{n-1} computer

- The versions of C and target languages can change at each stage.
- Trojan horses from earlier source files can remain in translator machines even if they're not in later source file! See Ken Thompson's *Reflection on Trusting Trust*

More Metaprogramming in SML

- We've already seen **PostFix** and s-expressions in Racket; next we'll see how to implement these in SML
- The rest of the course explores a sequence of expression languages implemented in SML that look closer and closer to Racket:
 - **Intex**: a simple arithmetic expression language
 - **Bindex**: add naming to Intex
 - **Valex**: add more value types, dynamic type checking, desugaring to Bindex
 - **HOFL**: add first class function values, closure diagrams to Valex
 - **HOILEC**: add explicit SML-like mutable cells to HOFL

Metaprogramming 29

Remember: language != implementation

- Easy to confuse "the way this language is usually implemented" or "the implementation I use" with "the language itself."
- Java and Racket can be compiled to x86
- C can be interpreted in Racket
- x86 can be compiled to JavaScript
- Can we compile C/C++ to Javascript?
<http://kripken.github.io/emscripten-site/>

Metaprogramming 30