

A PostFix Interpreter in Racket



CS251 Programming Languages
Spring 2018, Lyn Turbak

Department of Computer Science
Wellesley College

PostFix

PostFix is a stack-based mini-language that will be our first foray into the study of metalanguages = programs that manipulate programs.

It's not a real language, but a "toy" mini-language used for studying programming language semantics and implementation. It is inspired by real stack-based languages like PostScript, Forth, and HP calculators.

For the syntax and semantics of PostFix, see these notes:


<http://cs.wellesley.edu/~cs251/notes/dcpl-introduction.pdf>

Here's an example PostFix program

```
(postfix 2 2 nget 0 gt (sub) (swap 1 nget mul add) sel exec)
```

Postfix 2

PostFix Syntax



A PostFix command C is one of:

- An integer
- One of `pop`, `swap`, `nget`, `sel`, `exec`, `add`, `mul`, `sub`, `div`, `rem`, `;` *arithops* `lt`, `eq`, `gt` ; *relops*
- An **executable sequence** of the form `(C1 ... Cn)`

Postfix 3

PostFix command semantics (except exec)

Stack Before	Command	Stack After
(...)	integer <i>N</i>	(<i>N</i> ...)
(<i>v1</i> ...)	<code>pop</code>	(...)
(<i>v1 v2</i> ...)	<code>swap</code>	(<i>v2 v1</i> ...)
(<i>v1 v2</i> ...)	<code>sub</code> (other arithops similar)	(<i>N</i> ...) where <i>N</i> is <i>v2</i> - <i>v1</i>
(<i>v1 v2</i> ...)	<code>lt</code> (other relops similar)	(<i>N</i> ...) where <i>N</i> is 1 if <i>v2</i> < <i>v1</i> and <i>N</i> is 0 otherwise
(<i>i v1 ... vk</i>)	<code>nget</code>	(<i>vi v1 ... vk</i>) if $1 \leq i \leq k$ and <i>vi</i> is an integer
(<i>velse vthen vtest</i> ...)	<code>sel</code>	(<i>vthen</i> ...) if <i>vtest</i> ≠ 0 (<i>velse</i> ...) if <i>vtest</i> = 0

Postfix 4

PostFix command semantics: exec

Stack Before	Commands Before	Commands After
((C1 ... Cn) rest-of-stack)	(exec rest-of-cmds)	(C1 ... Cn rest-of-cmds)

Postfix 5

Your turn: PostFix program example



Consider this postfix program:

```
'(postfix 2
  2 nget 0 gt (sub) (swap 1 nget mul add) sel exec)
```

What is the result of running it on these arguments?

- '(3 5)
- '(3 -5)

Postfix 6

PostFix Syntax Abstractions in Racket

```
(define (postfix-program? sexp)
  (and (list? sexp)
        (>= (length sexp) 2)
        (eq? (first sexp) 'postfix)
        (integer? (second sexp))
        (postfix-command-sequence? (rest (rest sexp)))))

(define (postfix-command-sequence? sexp)
  (and (list? sexp)
        (forall? postfix-command? sexp)))

(define (postfix-command? sexp)
  (or (integer? sexp)
      (memq sexp '(pop swap nget sel exec
                  add mul sub div rem ; arithops
                  lt eq gt) ; relops
      (postfix-command-sequence? sexp)))

(define (postfix-numargs pgm) (second pgm))
(define (postfix-commands pgm) (rest (rest pgm)))
```

Postfix 7

Testing membership with memq/member

```
> (member 'c '(a b c d e))
'(c d e) ; returns sublist beginning with found item

> (member 'x '(a b c d e))
#f ; returns #f if item not found

> (define L '(a b))

> (memq L (list '(c d) L '(e f)))
'((a b) (e f))

> (memq L (list '(c d) '(a b) '(e f)))
#f ; not found because new list '(a b) not eq? to L

;; member is to memq what equal? is to eq?
> (member L (list '(c d) '(a b) '(e f)))
'((a b) (e f))
```

Postfix 8

Multiple versions of the PostFix interpreter

We will study three different approaches to implementing a PostFix interpreter.

1. `postfix-config-tail`: uses tail recursion to perform iterative execution of PostFix state configurations = duples (2-element list) of commands and stack.
2. `postfix-config-iterate`: uses tail recursion to perform iterative execution of PostFix state configurations.
3. `postfix-transform`: uses `foldl` on command sequence to transform initial stack to final stack. Treats `exec` as a stack transformer.

There are two flavors of each of these three interpreters:

- o `simple`: limited error handling, straightforward arithops/relops, no tracing
- o `Fancy`:
 - appropriate handling of all error cases;
 - the ability to trace step-by-step execution;
 - a general, extensible way to handle arithops and relops

Postfix 9

`postfix-config-tail-starter.rkt`

```
;; Run the given PostFix program on argument values,
;; which form the initial stack
(define (postfix-run pgm args)
  (postfix-exec-config-tail (postfix-commands pgm) args))

;; Use tail recursion to loop over a configuration state consisting
;; of (1) list of commands and (2) list of stack values
(define (postfix-exec-config-tail cmds stk)
  (cond ((null? cmds) 'flesh-this-out) ; Return top of stack at end
        ((eq? (first cmds) 'exec)
         ; Continue iteration with next configuration
         'flesh-this-out)
        ; Continue iteration with next configuration
        (else (postfix-exec-config-tail
                (rest cmds)
                (postfix-exec-command (first cmds) stk)))))

;; Execute a non-exec command on a stack to yield a new stack.
;; So each command can be viewed as a "stack transformer"
(define (postfix-exec-command cmd stk) ...)
```

Postfix 10

`postfix-exec-command Skeleton`

```
;; Initially simplify things by ignoring errors
(define (postfix-exec-command cmd stk)
  (cond ((integer? cmd) 'flesh-this-out)
        ((eq? cmd 'pop) 'flesh-this-out)
        ((eq? cmd 'swap) 'flesh-this-out)
        ((eq? cmd 'sub) 'flesh-this-out)
        ; other arithops similar
        ((eq? cmd 'lt) 'flesh-this-out)
        ; other relops similar
        ((eq? cmd 'sel) 'flesh-this-out)
        ((postfix-command-sequence? cmd) 'flesh-this-out)
        (else (error "unrecognized command" cmd))))
```

Postfix 11

`postfix-exec-config-tail Fleshed Out`

```
;; Use tail recursion to loop over a configuration state consisting
;; of (1) list of commands and (2) list of stack values
(define (postfix-exec-config-tail cmds stk)
  (cond ((null? cmds) (first stk)) ; Return top of stack at end
        ((eq? (first cmds) 'exec)
         ; Continue iteration with next configuration
         (postfix-exec-config-tail (append (first stk) (rest cmds))
                                   (rest stk)))
        ; Continue iteration with next configuration
        (else (postfix-exec-config-tail
                (rest cmds)
                (postfix-exec-command (first cmds) stk)))))
```

Postfix 12

postfix-exec-command Fleshed Out

```
;; Initially simplify things by ignoring errors
(define (postfix-exec-command cmd stk)
  (cond ((integer? cmd) (cons cmd stk))
        ((eq? cmd 'pop) (rest stk))
        ((eq? cmd 'swap)
         (cons (second stk)
               (cons (first stk) (rest (rest stk)))))
        ((eq? cmd 'sub)
         (cons (- (second stk) (first stk)) (rest (rest stk))))
        ; other arithops similar
        ((eq? cmd 'lt)
         (cons (if (< (second stk) (first stk)) 1 0)
               (rest (rest stk))))
        ; other relops similar
        ((eq? cmd 'nget)
         (cons (list-ref stk (first stk)) (rest stk)))
        ((eq? cmd 'sel)
         (cons (if (= (third stk) 0) (first stk) (second stk))
               (rest (rest (rest stk)))))
        ((postfix-command-sequence? cmd) (cons cmd stk))
        (else (error "unrecognized command" cmd))))
```

Postfix 13

Side Effects and Sequencing: printf and begin

```
> (begin (printf "~a + ~a is ~a\n" 1 2 (+ 1 2))
        (printf "~a * ~a is ~a\n" 3 4 (* 3 4)))
1 + 2 is 3
3 * 4 is 12

(define (print-and-return val)
  (begin (printf "~a\n" val) val))

> (* (print-and-return 3)
     (print-and-return (+ (print-and-return 4)
                          (print-and-return 5))))
3 ; printed
4 ; printed
5 ; printed
9 ; printed
27 ; returned
```

Postfix 14

begin is just syntactic sugar!

(begin e) desugars to e

(begin e1 e2 ...)
desugars to (let ((id1 e1)) ; id1 is fresh
 (begin e2 ...))

Postfix 15

postfix-exec-config-tail with tracing

```
;; Set this to #t to turn on printing of intermediate stacks;
;; #f to turn it off
(define display-steps? #t)

(define (postfix-exec-config-tail cmds stk)
  (begin (if display-steps? ; Only print intermediate stack
            ;if display-steps? is #t
          (printf "Commands: ~a\n Stack: ~a\n" cmds stk)
          'do-nothing)
        (cond ...)))
```

Postfix 16

postfix-run

```
;; Run a postfix program on initial stack from args
;; Simplify things by not checking for errors.
(define (postfix-run pgm args)
  (let ((final-stk (postfix-exec-commands (postfix-commands pgm)
                                         args)))
    (first final-stk)))

> (postfix-run '(postfix 2 7 4 pop swap sub) '(5 8))
after executing 7, stack is (7 5 8)
after executing 4, stack is (4 7 5 8)
after executing pop, stack is (7 5 8)
after executing swap, stack is (5 7 8)
after executing sub, stack is (2 8)
2
```

Postfix 17

postfix-run with errors

```
;; Run a postfix program on initial stack from args
;; This version checks for errors
(define (postfix-run pgm args)
  (cond ((not (postfix-program? pgm))
         (error "Invalid PostFix program" pgm))
        ((not (postfix-arguments? args))
         (error "Invalid PostFix arguments" pgm))
        ((not (= (postfix-numargs pgm) (length args)))
         (error "expected number of arguments does not match
                 actual number of arguments"
                 (list (postfix-numargs pgm) (length args))))
        (else
         (let ((final-stack
                (postfix-exec-commands
                 (postfix-commands pgm)
                 args)))
           (cond ((null? final-stack)
                  (error "Stack empty at end of program"))
                 ((not (integer? (first final-stack)))
                  (error "Top of final stack not an integer"))
                 (else (first final-stack)))))))
```

Postfix 18

postfix-exec-command with errors

```
(define (postfix-exec-command cmd stk)
  (cond
   ((integer? cmd) (cons cmd stk))
   ((eq? cmd 'pop)
    (if (< (length stk) 1)
        (error "postfix pop requires stack with at least one value"
              (list cmd stk))
        (rest stk)))
   ((eq? cmd 'swap)
    (if (< (length stk) 2)
        (error "postfix swap requires stack with at least two values"
              (list cmd stk))
        (cons (second stk) (cons (first stk) (rest (rest stk))))))
   ((postfix-arithop? cmd)
    (cond ((< (stack-size stk) 2)
           (error "postfix arithop requires two arguments" (list cmd stk))
           ((or (not (integer? (first stk)))
                (not (integer? (second stk))))
            (error "postfix arithop requires two integers" (list cmd stk))
            (else (cons ((postfix-arithop->racket-binop cmd)
                        (second stk) (first stk))
                        (rest (rest stk))))))
          ;; Other cases omitted
          (else (error "Unknown PostFix command" cmd))))
```

Postfix 19

Better handling of arithops (relops similar)

```
(define (postfix-exec-command cmd stk)
  (cond ...
    ((postfix-arithop? cmd)
     (cons ((postfix-arithop->racket-binop cmd)
           (second stk)
           (first stk))
           (rest (rest stk))))
    ...))

(define postfix-arithops
  (list (list 'add +) (list 'mul *) (list 'sub -)
        (list 'div quotient) (list 'rem remainder)))

(define (postfix-arithop? cmd)
  (assoc cmd postfix-arithops))

(define (postfix-arithop->racket-binop arithop)
  (second (assoc postfix-arithops)))
```

Postfix 20

postfix-config-iterate-simple.rkt

```
(define (postfix-run pgm args)
  (postfix-exec-config-iterate (postfix-commands pgm)
    args))

(define (postfix-exec-config-iterate cmds stk)
  (iterate-apply postfix-exec-config-one-step
    (λ (cmds stk) (null? cmds))
    (λ (cmds stk) (first stk))
    (list cmds stk)))

(define (postfix-exec-config-one-step cmds stk)
  (if (eq? (first cmds) 'exec)
      (list (append (first stk) (rest cmds))
            (rest stk)))
      (list (rest cmds)
            (postfix-exec-command (first cmds) stk))))
```

Postfix 21

postfix-transform-simple.rkt

```
(define (postfix-run pgm args)
  (let {[final-stk
        (postfix-exec-commands (postfix-commands pgm)
          args)]}
    (first final-stk)))

;; Execute command list on initial stack
;; and return final stack
(define (postfix-exec-commands cmds init-stk)
  (foldl postfix-exec-command init-stk cmds))

(define (postfix-exec-command cmd stk)
  (cond ...
    ((eq? cmd 'exec)
     (postfix-exec-commands (first stk) (rest stk)))
    (else (error "unrecognized command" cmd))))
```

```
> (postfix-exec-commands '(pop swap sub) '(4 7 5 8))
'(2 8)
```

Postfix 22

postfix-exec-commands with tracing

```
;; Execute command list on initial stack
;; and return final stack
;; Print each command and stack resulting from executing it
(define (postfix-exec-commands cmds init-stk)
  (foldl (λ (cmd stk)
          (let ((new-stk (postfix-exec-command cmd stk)))
            (begin (printf "after executing ~a, stack is ~a\n"
                          cmd new-stk)
                   new-stk)))
    init-stk
    cmds))
```

```
> (postfix-exec-commands '(pop swap sub) '(4 7 5 8))
after executing pop, stack is (7 5 8)
after executing swap, stack is (5 7 8)
after executing sub, stack is (2 8)
'(2 8)
```

Postfix 23